



# COUNTY OF INYO

DEPARTMENT OF PUBLIC WORKS  
P.O. DRAWER Q  
INDEPENDENCE, CA 93526

## REQUEST FOR QUOTATION ***THIS IS NOT AN ORDER***

DATE ISSUED: 02/12/2019

Michael Errante, Acting Director, Public Works  
Chris Cash, Deputy Director - Operations, Public Works  
(760) 878-0201 Front Desk  
(760) 878-2001 Fax

RETURN BY: 02/26/2019

Email back to Jamie Sidhu at [csidhu@inyocounty.us](mailto:csidhu@inyocounty.us)

PLEASE QUOTE ON THE FOLLOWING ITEMS: **Statham Hall**  
**138 N. Jackson St, Lone Pine, CA**

| QUANTITY | DESCRIPTION  | TOTAL PRICE |
|----------|--|-------------|
|          | Supply and install one new water closet and one new waterless urinal in the men's bathroom and perform associated plumbing work. This shall include: <ul style="list-style-type: none"> <li>Replacement of the water closet in the larger toilet compartment with a new water closet (American Std 3043 001 White 17" or equivalent with ZURN Z6000-WS1 Flush Valve or equivalent).</li> <li>Removal of the existing water closet and capping off the plumbing in the smaller toilet compartment.</li> <li>Removal of the existing urinal. Installation of new waterless urinal (American Std 6150.100 020 White Waterless or equivalent) at a distance of 1' to the left of the location of the existing urinal.</li> </ul>   |             |
|          | Supply and install two new water closets in the women's bathroom and perform associated plumbing work. This shall include: <ul style="list-style-type: none"> <li>Replacement of the water closet in the larger toilet compartment with a new water closet (American Std 3043 001 White 17" or equivalent with ZURN Z6000-WS1 Flush Valve or equivalent).</li> <li>Removal of the existing water closet and capping off the plumbing in one of the smaller toilet compartment.</li> <li>Removal of the existing water closet in the other smaller toilet compartment and installation of a new water closet (American Std 3043 001 White 17" or equivalent with ZURN Z6000-WS1 Flush Valve or equivalent) at a distance of ~1' to the right of the location of the existing water closet.</li> </ul> |             |
|          | <ul style="list-style-type: none"> <li>This project does not include any kind of demo. Demo of walls, partitions and flooring will be performed by County Maintenance before the start of the project.</li> <li>One of the bathrooms must be finished to completion before the other one can be started. So, please treat both bathrooms as two separate projects.</li> </ul>  |             |
|          | <ul style="list-style-type: none"> <li>This is a prevailing wage job.</li> <li>Installation to be completed no later than 60 days after award.</li> </ul>  |             |
|          | <b>PRICE TO INSTALL SHALL INCLUDE ALL COSTS INCLUDING LABOR, MATERIALS, INSURANCE, AND APPLICABLE TAXES.</b>   |             |
|          | <b>TOTAL</b>   |             |
|          | INDICATE ANY EXCEPTIONS TO QUOTE:  |             |
|          |  |             |
|          | This form to be returned signed, via e-mail by 3:30 PM at 02/26/2019   |             |

To schedule a pre-bid **job walk** (recommended), please contact Chris Cox at (760) 878-0230.

THE QUOTATION (S) LISTED ABOVE REMAIN VALID AND IN EFFECT THROUGH \_\_\_\_\_.


DATE: \_\_\_\_\_ By \_\_\_\_\_  
(Print)

FIRM NAME \_\_\_\_\_ By \_\_\_\_\_  
(Signature) (Title)

>> RETURN SIGNED FORM TO THE INYO COUNTY PUBLIC WORKS DEPT, Via Email to [csidhu@inyocounty.us](mailto:csidhu@inyocounty.us) or fax (760)-878-2001

# Statham Hall Bathrooms – ADA Project Plumbing Plans

CURRENT:



PROPOSED:

