CAMC0309612 Chicaly, west

RECORDING REQUESTED BY: (Mail recording to:)

ACE Cogeneration Company Address P.O. BOX 66 Trona, CA 93592

INYO, County Recorder KAMMI FOOTE Co Recorder Office NHITT FULLE CO RECORDER OFFICE

DOC — 2015—0002094—00

Check Number 10901

Wednesday, AUG 12, 2015 09:54:16

MIC \$1.00:S21 \$3.00:REC \$14.00

SYS \$4.00:SST \$1.00: Ttl Pd

Rcpt # 0000110605 LS1/R1/1-4

FOR RECORDER'S USE

\$23.00


	whom it may concern, ple				CALIFORNIA)	
	whom it may concern, pre	ease take r	notice that	:		
	Placer mining claim nam	me is	pril #	le		
2	Date of location (date notice posted in or on	it) of thi	s placer m	nining claim	mis 9 25	2014
•	Description of the disc	covery monu	ment is as	follows:_	See attach me	ents
			late		*	
	Placer mining claim IS the description of the of section (such as E1/ and Meridian (Mer.), is	claim by 1 2NE1/4NE1/ as follows	egal subdi 4), Sectio :	vision incl n (Sec.), 1	luding aliquot p Township (T.), R	art (A.P.) ange (R.)
	A.P. W/2 SW/4 SW/4.	Sec. 27	_ , т. 20	5 , R. 42	E, Mer. MDm	
	A.P	Sec.	_ , T	, R	, Mer.	
	A.P,	Sec.	, T	, R	_ , Mer	
	A.P,	Sec.	_ , T	, R	_ , Mer	
	Placer mining claim <u>IS</u> is marked by conspicuou located by properly mar natural object:	s and subs	tantial mo	nument at e	ach claim corne	r, and is
	Natural object is (desc is by compass direction monument. From the disabout feet to direction , is by compass direction from here it is by compactorner post; from here	the NW corrabout	ment it is ner post; feet t , about_ ion	from here in the NE control of	t is by compass orner post; from et to the SE cont	m here it rner post, to the SV
	feet to the NV				D) CT 1	
					LICOLO	M-CASO

CAMC0309612

at e	The undersigned locator(s) have define each corner of the claim, or nearest ac each corner monument so erected bears copriately designate the corner of the	ccessible poing or contains many	ts thereto, a pr arkings sufficie	oper monument on to
6B.	The date of monument erection and mark	king is 9	25	2014.
6C.	Description of each monument is as fol	low_See	attachments	A,
	Signature of the second			*
7.	Attach to this Notice an appropriate Ushowing a sketch of the outline of the	S. Geologic Splacer mining	Survey topograph g claim.	ic map
8.	Placer mining claim is in hyo		County.	
	Placer mining claim contain(s)			2000
	Fracer mining Claim Contain(s)			acres.
-	If your placer mining claim is in a po Master Title Plat records, write "File	d under P.L. 3		
.1. 1	Locator(s) of this placer claim are: (Please Print)		
	Name(s)	Current Mail	ing or Residence	Address
	ACE Cogeneration Company	P.O. Box (66	
	7	Trom C	A 93597	
-		11014, 0	13/2	
_			***************************************	
-				

-				
2. S	ignatures of locator(s):			
2. s	ignatures of locator(s):		Di	ate
,	ignatures of locator(s): the Date (0)(5)(4) as agent for:		D. E. C.	ate
	thoughton Date 10/15/14		MEG	ate
	Standbluman Date 10/15/14		DEG	E WE
	thoughton Date 10/15/14		D E C	EIVER

FILE THIS ORIGINAL NOTICE WITH THE APPROPRIATE COUNTY RECORDER (within 90 days of the date of location), AND FILE A DUPLICATE NOTICE (within the same 90 days) with the Bureau of Land Management, California State Office, 2800 Cottage Way Rm W1623, Sacramento, California 95825.



Attachment Comment

BUS OF LAND PONT

PLACER

3-002 20012417

	Marchan Land Ame Harders Prince were	this 18th day of A	19 22 located
a placer mining claim, situa	ated in unknown	Min	ing District, or in the vicinity of
	, Count	of San Dernardine, State of Ca	lifornia, described as follows:
	LAND, GIVE DETAILED DESCR		
	least 18 inches high, in		
	West 485 ft. from a p		
	, it is 660 ft. West to		
Na corner, thence	East 660 ft. to the NE	corner, thence South	1320 ft. to the SE
corner.			
			65
			<u> </u>
(b) OR, IF SURVEYED	LAND, GIVE LEGAL SUBDIVIS	ions: I believe this cl	aim covers approxi-
mately the West 1/2	of the SW 1/4 of the S	M 1/A	
	20.5		
	wnship 20.S.	Range 42.E.	
Meridian M.D.M.			
ogether with all water and	timber appurtenant, allowed by	law.	#/ -
	of 20 acres, shall be	known as the APRIL	/Q-
	entified by its proximity to the f		
	is claim is approximate		
	3, T.20.S., R.42.E., M.	D.M., Which has been S	overed by a government
survey.			
	-Log	TORS-	n E GET
		19/0/18	and

		-H. D. Hellmers	
		-H. D. Hellmers	OCT 17 20
		-H. D. Hellmers	OCT 17 20
	STATEMENT OF THE MAR	- H. D. Hellmers	OCT 17 20
NOMES IS WEDNEY CIV	AND OF PERFORMANC	E OF DISCOVERY WORK	USDI-BLM-CA
NOTICE IS HEREBY GIV	AND OF PERFORMANCE EN by the undersigned locator-	E OF DISCOVERY WORK that in accordance with the pr	ovisions of the Mining Law:-
1. (If unsurveyed Land)	AND OF PERFORMANC EN by the undersigned locator— There has been erected at the di	E OF DISCOVERY WORK that in accordance with the processory point, and at each corn-	ovisions of the Mining Law:-
1. (If unsurveyed Land) the discovery monume	AND OF PERFORMANCE There has been erected at the distribution of rock, at least	E OF DISCOVERY WORK that in accordance with the prescription of t	ovisions of the Mining Law:— er of said claim, these monument corner posts are
1. (If unsurveyed Land) ? The discovery monume made from LxL wood,	AND OF PERFORMANCE There has been erected at the distribution of rock, at least	E OF DISCOVERY WORK that in accordance with the prescription of t	ovisions of the Mining Law:-
1. (If unsurveyed Land) ? The discovery monume made from LxL wood,	AND OF PERFORMANCE There has been erected at the distribution of rock, at least	E OF DISCOVERY WORK that in accordance with the prescription of t	ovisions of the Mining Law:— er of said claim, these monument corner posts are
1. (If unsurveyed Land) he discovery monumental from LxL wood,	AND OF PERFORMANCE There has been erected at the distribution of rock, at least	E OF DISCOVERY WORK that in accordance with the prescription of t	ovisions of the Mining Law:— er of said claim, these monument corner posts are
1. (If unsurveyed Land) of the discovery monume made from LxL wood, rock base.	AND OF PERFORMANCE There has been erected at the distribution of rock, at least (Posts or extending at least 3:	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and	ovisions of the Mining Law:— er of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) free discovery monume made from LxL, wood, rock base. 2. The Locator has performed to the control of	AND OF PERFORMANCE There has been erected at the district is of rock, at least (Posts or extending at least 3: There has been erected at the district is of rock, at least (Posts or extending at least 3: Therefore, within 90 days from date of the second results in the second results	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) the above ground, and and according to the processor of location, the following discovery.	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume made from LxL, wood, rock base. 2. The Locator has perfor	AND OF PERFORMANCE (For by the undersigned locator— There has been erected at the district is of rock, at least (Posts or extending at least 3: (For extending at least	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume made from LxL, wood, rock base. 2. The Locator has perfor	AND OF PERFORMANCE There has been erected at the district is of rock, at least (Posts or extending at least 3: There has been erected at the district is of rock, at least (Posts or extending at least 3: Therefore, within 90 days from date of the second results in the second results	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume made from LxL, wood, rock base. 2. The Locator has perfor	AND OF PERFORMANCE (For by the undersigned locator— There has been erected at the district is of rock, at least (Posts or extending at least 3: (For extending at least	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume hade from LxL wood, Took base. 2. The Locator has perfor	AND OF PERFORMANCE (For by the undersigned locator— There has been erected at the district is of rock, at least (Posts or extending at least 3: (For extending at least	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume hade from LxL wood, cock base. 2. The Locator has perfor	AND OF PERFORMANCE (For by the undersigned locator— There has been erected at the district is of rock, at least (Posts or extending at least 3: (For extending at least	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume made from LxL, wood, rock base. 2. The Locator has perfor	AND OF PERFORMANCE There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least 3.	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume made from LxL, wood, rock base. 2. The Locator has perfor	AND OF PERFORMANCE There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least 3.	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume made from LxL, wood, rock base. 2. The Locator has perfor	AND OF PERFORMANCE There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least 3.	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume made from Lxl, wood, rock base. 2. The Locator has perfor	AND OF PERFORMANCE There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least 3.	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume made from LxL wood, Took base. 2. The Locator has perfor	AND OF PERFORMANCE There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least 3.	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume made from LxL wood, rock base. 2. The Locator has perfor Exc mon	AND OF PERFORMANCE There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least 3.	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume hade from LxL wood, rock base. 2. The Locator has perfor Exc mon	AND OF PERFORMANCE There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least 3.	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume made from LxL, wood, rock base. 2. The Locator has perfor	AND OF PERFORMANCE There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least 3.	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monument corner posts are are mounted in a firm
1. (If unsurveyed Land) The discovery monume made from LxL wood, rock base. 2. The Locator has perfor Exc mon	AND OF PERFORMANCE There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least (Posts or extending at least 3). There has been erected at the distribution of rock, at least 3.	e of DISCOVERY WORK that in accordance with the processory point, and at each corner 18 inches high. All Markings) ft. above ground, and and according to the claim and remove	ovisions of the Mining Law:— ar of said claim, these monumer corner posts are are mounted in a firm